

PETROLEUM INDUSTRY



Ma'Aref TECHNOLOGIE (Pvt) Ltd.

House # 8, Street # 6 Fizaia Housing Scheme Airport Road, Rawalpindi ~ Pakistan TeleFax: +9251 447 0034 Mobiles: 0336 666 0316, 0336 666 0317 +92 336 666 0314, +1(973)~786~1576

E-mail: MaAref@MaArefTech.com; HYTORC_Pakistan@MaArefTech.com

www.MaArefTech.com







PetroChina Dushanzi Petrochemical Company Dushanzi City Xinjinag Province, P.R.C



PETRO CHINA Dushazi Refinery

E402 Diesel Hydrogen Equipment Heat exchanger cover plate flange A&B.

Every flange has 40 M42X3 bolts, bolt material 35CrMoA.







PetroChina Dushanzi Petrochemical Company Dushanzi City Xinjinag Province, P.R.C After Installation







TOOLS USED: AVANTI-3 ×4 & HYTORC 230 Pump with HYTORC SIMULTORC system.

Application: Used 40 HYTORC LoadDiscs on E402 Diesel Hydrogen Equipment & Heat exchanger cover plate. The equipments runs in high pressure and high temperature. Leakage often happened at the flange in the past.

We completed the project at September of 2007, till now leakage zero (2009).





REACTOR-ELBOW FLANGE (20) 1-1/2" B16 BOLTS






REACTOR-INLET FLANGE A,B,C (12) 1-3/8" B16 BOLTS NOW OPTIMIZED VIA-HYTORC: V TOOLS EASILY APPLY FROM BOTTOM NUT BACK-UP NOT NEEDED W/HYTORC WASHER TOOLING LOCKS ONTO WASHER-HANDS FREE OPTIMIZED PROCEDURES- 2 PASSES VQUALITY REPORT/RECORDS FOR EACH FLANGE HYTORC ASSEMBLY TIME 38 MIN



REACTOR-CRUDE LINE FLANGE (20) 1-3/8" B16 BOLTS





The ONLY PROFESSIONALIZED BOLTING COMPANY IN PAKISTAN

SAFETY - QUALITY - SCHEDULE



7E 101 (20) 1-3/8" B16 BOLTS





7V 108 (20) 1-3/8" B16 BOLTS





REACTOR 7V 108 (38) 1-7/8" B16 BOLTS

Bolting Applications Booklet - Worldwide



BEFORE



REACTOR GAS PIPELINE DUSHANZI REFINERY



REACTOR TOWER

FTER


YOU ARE STILL TORQUING YOUR NUT ONTO YOUR BOLT

THE LOCALIBRATION AND IT DOESN'T CHANGE YOUR BOLTING SPEC'S

IT IS JUST A HARDENED WASHER PROVIDING A REACTION POINT UNDER THE NUT

2





STEAM HEAT EXCHANGER



THE LODBUGD "NEEDS NO CALIBRATION AND IT DOESN'T CHANGE YOUR BOLTING SPEC'S

IT IS JUST A HARDENED WASHER PROVIDING A REACTION POINT UNDER THE NUT

SAFETY - QUALITY - SCHEDULE

ER








KARAMAY REFINERY ISOLATION VALVE

YOU ARE STILL TORQUING YOUR NUT ONTO YOUR BOLT

> THE LOCATION AND IT DOESN'T CHANGE YOUR BOLTING SPEC'S

T IS JUST A <u>HARDENED WASHER</u> PROVIDING A <u>REACTION POINT</u> UNDER THE NUT

SAFETY - QUALITY - SCHEDULE



SAFETY - QUALITY - SCHEDULE





UREA CONVERTER



SAFETY - QUALITY - SCHEDULE





.......

TARIM SOUTHWEST PETROLEUM



(40) X2 pcs M27X3 bolts (4)AVANTI-1 (2) flanges

SAFETY - QUALITY - SCHEDULE



STEAM CONTAINER UPPER FLANGE

Total 38 flanges installed

Over 500 pcs LoaDISCs installed

AFTER





YOU ARE STILL TORQUING YOUR NUT ONTO YOUR BOLT


> THE LOUDICD "NEEDS NO CALIBRATION AND IT DOESN'T CHANGE YOUR BOLTING SPEC'S

IT IS JUST A HARDENED WASHER PROVIDING A REACTION POINT UNDER THE NUT

2hours 30 minutes finish installed 2 flanges







SAFETY - QUALITY - SCHEDULE







BEFORE

2flanges, every flange has (20) pcs studs M36X4



YOU ARE STILL TORQUING YOUR NUT ONTO YOUR BOLT

> THE LOODIC "NEEDS NO CALIBRATION AND IT DOESN'T CHANGE YOUR BOLTING SPEC'S

IT IS JUST A HARDENED WASHER PROVIDING A REACTION POINT UNDER THE NUT

SAFETY - QUALITY - SCHEDULE






BEFORE

THE REAL PROPERTY OF THE REAL

HYTORCO





SAFETY - QUALITY - SCHEDULE





FEED WATER PUMP FLANGE

BEFORE

Total 3 flanges, every flanges has (12) pcs M39 studs



6 hours for 3 flanges Result: leakage zero

YOU ARE STILL TORQUING YOUR NUT ONTO YOUR BOLT

THE LOOP THE LOOP THE LOOP THE LOOP THE LOOP THE CALIBRATION AND IT DOESN'T CHANGE YOUR BOLTING SPEC'S

IT IS JUST A HARDENED WASHER PROVIDING A REACTION POINT UNDER THE NUT

SAFETY - QUALITY - SCHEDULE





AFTER

BEFORE

(16) Pcs M64X3 studs,it cost 3 hours15minuts.Result: Leakage zero

YOU ARE STILL TORQUING YOUR NUT ONTO YOUR BOLT

> THE LOOP TO NEEDS NO CALIBRATION AND IT DOESN'T CHANGE YOUR BOLTING SPEC'S

IT IS JUST A HARDENED WASHER PROVIDING A REACTION POINT UNDER THE NUT

SAFETY - QUALITY - SCHEDULE

AFTER



HYDROGENATION LOWER OUTLET FLANGE


SAFETY - QUALITY - SCHEDULE











SAFETY - QUALITY - SCHEDULE The ONLY PROFESSIONALIZED BOLTING COMPANY IN PAKISTAN







INLET AND OUTLET FLANGES



(16) X3 pcs M33X2 studs (3)Flanges (4)AVANTI-1

SAFETY - QUALITY - SCHEDULE





SAFETY - QUALITY - SCHEDULE

Bolting Applications Booklet - Worldwide SHANGHAI PETROCHEMICAL





SAFETY - QUALITY - SCHEDULE







(16) pcs M30X3.5 studs(1)Flanges(4)AVANTI-1

YOU ARE STILL TORQUING YOUR NUT ONTO YOUR BOLT


> THE LODDIDD "NEEDS NO CALIBRATION AND IT DOESN'T CHANGE YOUR BOLTING SPEC'S


T IS JUST A HARDENED WASHER PROVIDING A REACTION POINT UNDER THE NUT

SAFETY - QUALITY - SCHEDUI



E102A/B Exchangers





Previous method of traditional flogging was time-consuming and unsafe work practice.




E102 A/B Exchangers shutdown took only 2½ days, and without any leaks during pressure testing after!!!

SAFETY - QUALITY - SCHEDULE The ONLY PROFESSIONALIZED BOLTING COMPANY IN PAKISTAN



FORCED BOILER CIRCULATION PUMP



SAFETY - QUALITY - SCHEDULE

PLANT-WIDE BOLTING OPTIMIZATION

FCC - TURNAROUND




SAFETY - QUALITY - SCHEDULE



The ONLY PROFESSIONALIZED BOLTING COMPANY IN PAKISTAN

Ξ



The ONLY PROFESSIONALIZED BOLTING COMPANY IN PAKISTAN



SAFETY - QUALITY - SCHEDULE



SAFETY


FREE YOURSELF OF REACTION ARM BACKUP WRENCH & TOOL-HOLDING WITH *"JUST" A WASHER!*

YOU ARE STILL TORQUING YOUR NUT ONTO YOUR BOLT

> THE LOUBIDD "NEEDS NO CALIBRATION AND IT DOESN'T CHANGE YOUR BOLTING SPEC'S

IT IS JUST A HARDENED WASHER PROVIDING A REACTION POINT UNDER THE NUT





SAFETY - QUALITY - SCHEDULE




SAFETY - QUALITY - SCHEDULE





SCHEDUL SAF \bigcirc \٧ Ϋ́




SAFETY - QUALITY - SCHEDULE

HOVENSA REFINERY

 Image: Construction of the construc

© Copyright 2005, UNEX Corporation

HYTORC, Division of UNEX Corporation 333 Route 17 North, Mahwah, NJ 07430 U.S.A. Tel.: 1 201 512-9500, Fax 1 201 512-9615 Email: HYTORC1@HYTORC.com www.HYTORC.com



SAFETY

FREE YOURSELF OF REACTION ARM BACKUP WRENCH & TOOL-HOLDING WITH *"JUST" A WASHER!*

SAFETY - QUALITY - SCHEDULE

TONEN GENERAL OIL REFINERY JAPAN



YOU ARE STILL TORQUING YOUR NUT ONTO YOUR BOLT THE LDDDCDTMNEEDS NO CALIBRATION AND IT DOESN'T CHANGE YOUR BOLTING SPEC'S IT IS JUST A HARDENED WASHER PROVIDING A REACTION POINT UNDER THE NUT

SAFETY

FREE YOURSELF OF REACTION ARM BACKUP WRENCH & TOOL-HOLDING WITH *"JUST" A WASHER!*



AVANTI-10 SIMUL-TORC HYTORC AIR Pump.

Dramatic Improvements in Safety, Speed and **Accuracy** !

TONEN GENERAL OIL REFINERY **Reactor Top Manway**



