

# STEEL & ALUMINUM MILLS



#### Ma'Aref technologie (Pvt) Ltd.

House # 8, Street # 6
Fizaia Housing Scheme
Airport Road, Rawalpindi ~ Pakistan
TeleFax: +9251 447 0034
Mobiles: 0336 666 0316, 0336 666 0317
+92 336 666 0314, +1(973)~786~1576


E-mail: MaAref@MaArefTech.com; HYTORC\_Pakistan@MaArefTech.com

www.MaArefTech.com















Retighten the bolts every 8-20 working hours for nut loosening











The counter nut effect remains intact throughout the assembled state of the fastener... so that despite the use of a low-friction, dry lubricant, inadvertent nut loosening even under vibration is eliminated.




The ONLY PROFESSIONALIZED BOLTING COMPANY IN PAKISTAN



## **Bayi Iron & Steel**





Simultorc Technology Three Upside And One Downside

### **MA'AN SHAN STEEL**





# **DANIELL** universal vertical mill Bolt specification: M100X4; Bolt quantity: 4; @6000NM





The workers used to tighten the bolts with hammers. In this condition, the rolling mill needed to be replaced twice or three times every week and the equipment were often stopped to be overhauled because of bolts loosening.

### **MA'AN SHAN STEEL**






### **MA'AN SHAN STEEL**



**DANIELI** vertical roller








It cost only 1 person
1 minute to tighten a
bolt of M100X4 and
only 10 minutes to
tighten all the bolts
on one rolling mill. It
saves more than 20
minutes and 3
persons comparing to
previous manual
tightening. The
producing efficiency
improves more than
200%。

# MA'AN SHAN STEEL DANIELI vertical roller





## **MACHINE ON**

SAFETY - QUALITY - SCHEDULE

The ONLY PROFESSIONALIZED BOLTING COMPANY IN PAKISTAN



本溪钢铁(集团)有限责任公司 BENXI IRON & STEEL(GROUP)CO.,LTD.



### **BENXI IRON & STEEL**



# SMS SIEMAG COILERCURVED GUIDE PLATE




本溪钢铁(集团)有限责任公司 BENXI IRON & STEEL(GROUP)CO.,LTD.



### **BENXI IRON & STEEL**





SMS SIEMAG
COILERCURVED GUIDE PLATE





### **SHOUGANG QIAN'AN steel mill**



**AFTER** 



YOU ARE STILL TORQUING YOUR NUT
ONTO YOUR BOLT

THE LIBERTION AND IT DOESN'T

IT IS JUST A HARDENED WASHER PROVIDING A REACTION POINT UNDER THE NUT

CHANGE YOUR BOLTING SPEC'S


Stretch-to-Load Technology





### **SHOUGANG QIAN'AN steel mill**






This system cuts bolting time in half while increasing safety and reducing damage to bolt threads. With no external reaction, there are no dangerous pinch points and operator safety is dramatically increased.





**Shougang Jingtang** 



LITY - SCHEDULE

#### ILVA STEEL FACTORY







This is a machine for modelling the steel after it was melt.

The big problem was the vibrations because they is a big hydraulic hammers on it with mechanical transmission, On each machine the transmission is devided in two shaft inside a gear box, So we had to fix this gear box.

They always tight with a hammer tool.(not really safety and accurate!!)

The oldest nut was a M130 but the across flat was 220mm.

So Luigi and Lucien provided to the customer the better way for loosening and tightening easely with accuracy their M130 nut the

#### ILVA STEEL FACTORY



We put a sleeve between the housing and the clamp, in fact they cannot cut the bolt.



Overview of the job site with the Clamp Nut

View above the machine, you see the HYTORC air & the 2 Avanti-20

#### ILVA STEEL FACTORY





Avanti 20

Clamp M130

Sleeve

One more happy customer, see the beautiful smile after the job!!





#### **ISG Steel**



#### **Limited Clearance CLAMP and LoaDISC**

By: Russ Meyers May 2005

As most of you know ISG Steel was so pleased with us for once and for all holding their 10,000 horse power motor coupling together with 3" diameter LoaDISCs that they have and will continue to rely on our consultation and solutions for all of their bolting needs. Attached are photos from a recent job where

all of the main bolting in the plate rolling mill was redone. With recent buy out of a T-900 the project was over 100K with JETYD. There is still a lot more to do at this plant.

#### **Separator Bolts** (sorry no photos):

3" diameter turbine style clamps with (2) Avanti-10s

#### **Anchor Bolts:**

3-1/2" diameter LC Clamps with (2) 30xlct tools/links



#### **Main Foot Bolts:**

5" diameter Turbine style Clamps with (2) T-900s

SULO Wheelie Bins (Pty) Ltd Somersby NSW 2250, AUSTRALIA





Application: SULO 240 Ltr Plastic Bins injection molding machine. Stealth-8, 32mm Wrench Sold. Previous method was a Norbar wrench which kept breaking its 1-1/2" Square Drive.

# 新日本製鐵 Nippon Steel Corporation JAPAN





STEALTH-8 HYTORC 230 Pump.

Application: Runner Housing


**Dramatic Improvements in** Speed, Safety and Accuracy! Working time reduce by 80%

### 新日本製鐵 Nippon Steel Corporation JAPAN





S



### National American Stainless





Finish Mill- Descaler Spray Valve Flanges Stealth-8 w 80mm link Torque 6700 Ft Lbs Torqued Pattern - 100%



Hot Mill- Roller Cylinders Stealth-4 w 36mm Allen adaptors Torque-670 Ft Lbs- 100%



Rough Mill- Descaler Flanges Stealth-4 w 55mm link Torque 1800 Ft Lbs Torqued Pattern- 100%



Hot Mill-Roll Shop- Cross Bearing bolts 8xlct w (AB)60mm Link/Slider Torque- 6700 Ft. Lbs



The ONLY PROFESSIONALIZED BOLTING COMPANY IN PAKISTAN

# POSMEC Machinery & Engineering ULSAN, SOUTH KOREA


















AVANTI-8 Wrench with extended R/Arm, aluminum dummy reaction socket & RSST-20 Pump SOLD.



#### SUPER HIGH SPEED PRECISION PRESS

### Steel Mill Application OHIO, USA














The customer has had difficulty in keeping the bolts tight due to vibrations problems.

There is little clearance above the nuts and using manual wrenches or impact was not achieving the torque required.

Hytorc Clamp and Stealth 2 did the job.

Now NO more loose bolt problems.

Due to the success of the Clamp Nut & Sales Skills the Stealth 2, the customer is planning to order Clamp Nuts for all 14 motors in the Steel Mill






### Old method caused excessive side load!

















18-XLCT wrench with 125mm A/F R/Link & New Style holding plates plus Qty x 75 M90-125mm A/F DW LoaDISC system SOLD. Previous extreme side load caused studs to break as below, but now **problem resolved with ZERO Torsion, ZERO Side Load - LoaDISC application.** 





















#### ENGEL MACHINERY SOUTH KOREA MOON-HYEON NO





STEALTH-8, 300mm Extended Reaction Arm & SST-20 Pump SOLD. Previous method was using Enerpac wrenches but the customer found these to be unreliable, heavy & slow.

# The HYTORC AVANTI 3-in-1 Hydraulic Torque Wrench









